MENHADEN FISH OIL

BADGER INGREDIENTS INC & INGREDIENT LOGISTICS LLC



PRODUCT DESCRIPTION:

MENHADEN FISH OIL IS A POLYSATURATED LONG CHAIN OMEGA-3 FISH OIL.

	Proximate Composition	
	<u>(3 Yr. Avg.)</u>	Range
Free Fatty Acid (as Oleic), (%)	2.15	1 – 4 (Max)
Moisture (%)	0.19	0.1 - 0.5
Impurities (%)	0.02	0.01-0.05
Iodine Value (Wijs)	166.2	150-172
Color (Gardner Scale)	11+	11-12+
Peroxide Value (PV)	2.8	2.0 - 6.0
Anisidine Value (AV)	15.6	11.0 - 20.0
TOTOX	21.2	13.0 - 30.0 (Max)
Total Omega 3 Fatty Acids, (%)	30.0	28.6 - 30.3
Total EPA+DHA+DPA	24.5	23.7 - 24.8
Total Omega 6 Fatty Acids (%)	3.7	3.4 - 4.3

Fatty Acid Composition(%) - 3 Year Average

Caproic	<0.10	C19:0 Nonadecanoic 0.00
Lauric	0.14	C20.0 Arachidic 0.21
Tridecanoic	<0.10	C20:1 Gadoleic 0.95
Myristic	9.79	C20:2n6 Eicosadienoic 0.44
Myristoleic	<0.10	C20:3n6 homo-gamma-Linolenic 0.26
Pentadecanoic	0.65	C20:3n3 Eicosatrienoic 0.21
Pentadecenoic	<0.10	C20:4n3 Eicosatetraenoic 1.23
Palmitic	19.09	C20:4n6 Arachidonic 1.10
Palmitoleic	12.44	C20:5n3 Eicosapentaenoic 14.25
Hexadecadienoic	<0.10	C21:0 Heneicosanoic <0.10
Hexadectrienoic	<0.10	C22:1 Erucic 0.19
Hexadecatetraenoic	<0.10	C22:2 Docosadienoic <0.10
Heptadecanoic	0.47	C22:4n6 Adrenic <0.10
Heptadecenoic	0.17	C22:5n3 Docosapentaenoic 2.41
Stearic	3.17	C22:6n3 Docosahexaenoic 7.67
Oleic	5.69	C23:0 Tricosanoic <0.10
Linoleic	1.15	C24:0 Lignoceric <0.10
alpha-Linolenic	1.26	C24:1 Selacholeic 0.25
gamma-Linolenic	0.30	
Stearidonic	2.33	
	Lauric Tridecanoic Myristic Myristoleic Pentadecanoic Pentadecenoic Palmitic Palmitoleic Hexadecadienoic Hexadecatetraenoic Heptadecanoic Heptadecenoic Stearic Oleic Linoleic alpha-Linolenic gamma-Linolenic	Lauric0.14Tridecanoic<0.10